

# Peoples Natural Gas

## Electronic Gas Measurement Guidelines

Peoples Natural Gas will permit electronic gas measurement to be used on producer operated meters based on the following criteria:

### **Equipment:**

Peoples Natural Gas (“Peoples”) has approved the following electronics correctors for use on rotary production meters:

- Mercury Mini-Max AT PT
- Fisher Flo Boss
- Eagle Electronic
- Dresser Micro Corrector

The corrector shall be programmed to display eight digit volume readings in Mcf. All electronic correctors must have a mechanical index to record uncorrected volumes. The mechanical uncorrected reading must match the electronic uncorrected reading at installation. These readings must track each other throughout the life of the corrector.

Producers are required to have electronic correctors calibrated annually. This accuracy verification/calibration should be documented and forwarded to Peoples. Peoples is required to be present at time of electronic measurement installation to ensure of proper item file setup.

### **Peoples Random Audits:**

Peoples will conduct electronic corrector random audits without notification to the producer. Peoples will not connect to the Electronic Corrector with a laptop. All audit data will be accessed through the local screen display on the corrector. The corrector will be programmed to display the following:

- PO Number
- Pressure
- Temperature
- Corrected Volume (Mcf)
- Uncorrected Volume (Mcf)
- Battery Voltage
- Time
- Date
- Meter Index Rate

# Peoples Natural Gas

## Electronic Gas Measurement Guidelines

### **Audit Trail and Item File:**

The Producer is required to have downloading capabilities to retrieve an item trail and audit trail to forward to the integrator to record the monthly production. An electronic file is acceptable.

The audit trail must consist of hourly reads for the corrected volumes, uncorrected volumes, active temperature and pressure.

The item file must show the settings for all of the fixed variables on the unit. Please refer to Attachment A.

### **Producer Record Retention:**

The producer is required to download the volumetric history logs (Audit Trail) and the corrector settings (Item File) for all electronic correctors and retain this information based on the scheduled below. Annual Meter/Corrector accuracy verification records are also required.

Volume History (Audit Trail)	2 Years
Corrector Settings (Item File)	2 Years
Annual Accuracy Verification/Calibration	3 Years
Volume Statement from Integrator	2 Years

Peoples may, at any time during normal business hours, audit and examine any records, audit trails or accounts as well as the meter facilities of Producer. Failure to maintain this information may result in Peoples terminating gas receipts at the meter in question.

### **Penalties:**

If the Producer does not provide the appropriate documents within the requested time-frame, the measurement facility that is being audited will be shut in immediately and remain shut in until the Producer supplies Peoples with the required documents.

If Peoples find the item file has been altered from the original state, without Peoples' approval, Producer will be found in violation and will be subject to be shut-in.

# Peoples Natural Gas

## Electronic Gas Measurement Guidelines

Attachment A

### Item File Parameters

<b>Description</b>	<b>Value</b>	<b>Identification</b>
Corrected Volume	12345678	Site Specific
Uncorrected Volume	12345678	Site Specific
Gas Pressure	45.86	Site Specific
Base Pressure	14.73	Fixed Value - All Correctors
Atmospheric Pressure	14.4	Fixed Value - All Correctors
Gas Temperature	78.06	Site Specific
Base Temperature	60	Fixed Value - All Correctors
Total Correction Factor	3.9776	Site Specific
Specific Gravity For Sp	0.6	Fixed Value - All Correctors
% N2 For Supercompress	.5	Fixed Value - All Correctors
% CO2 For Supercompress	.5	Fixed Value - All Correctors
Pressure Units	PSIG	Fixed Value - All Correctors
Temperature Units	F	Fixed Value - All Correctors
Corr Volume Units	MCF	Fixed Value - All Correctors
Uncorr Volume Units	MCF	Fixed Value - All Correctors
Corr Vol Display Res	8 Digits	Fixed Value - All Correctors
Uncorr Vol Display Res	8 Digits	Fixed Value - All Correctors
Meter Index Rate	10/100/1000 CF	Meter Specific
Fixed Pressure Factor	Live	Fixed Value - All Correctors
Fixed Super Factor	Live	Fixed Value - All Correctors
Fixed Temp Factor	Live	Fixed Value - All Correctors
Site ID Number	XXXXXX	PO number
Site ID Number Part 2	XXXXXX	Site Specific
Log Interval	60 Minutes	Fixed Value - All Correctors
Time	15 38 52	Site Specific
Date	8/28/2008	Site Specific
Start Time	08 00 00	Fixed Value - All Correctors